Signature of Invigilators	I	Roll No.	
1	LIFE SCIENCE	(In figure	s as in Admit Card
2	Paper II		·····
J—0402	Name Call A		(In words)
	Name of the Areas/	Section (if any)	
Time Allowed: 75 Minutes]		[Maximu	ım Marks : 100
Instructions for the Candidates			
be a capital letter for the select within the corresponding square.  Correct method A Wrong N	Method A or A	3), (C) and (D). Thuestion should enti	ne answer should rely be contained
	end of the booklet for rough w	rowl.	•
<ol> <li>You should return the test boo any paper with you outside th પરીક્ષાર્થીઓ માટેની સૂચનાઓ :</li> </ol>	oklet to the invigilator at the e	nd of paper and s	should not carry
૧. આ પાનાની ટોચમાં દર્શાવેલી જગ્યામ ૨. આ પશ્નપત્રમાં કલ મગાગ ૯૦૦ ૯	ા તનારા રાલ નબર લુખો.		
ર. આ પ્રશ્નપત્રમાં કૂલ <b>પચાસ (50)</b> લ ૩. પ્રત્યેક પ્રશ્ન વધૂમાં વધૂ ચાર બહુવૈકલ્પિક કેપીટલ સંજ્ઞા વકે આપવાનો રહેશે. ઉત્તર	મહાવકલ્પાય ઉત્તરા ધરાવતા પ્રશ્નો આ ઉત્તરો ધરાવે છે. જે (A), (B), (C) અને (I દેની સંજ્ઞા આપેલ ખાનામાં બરાબર સમાઇ	D) વડે દર્શાવવામાં આવ	યા હું ગાલનનો ઉન્ના

- ૪. આ પ્રશ્નપત્રના જવાલ આપેલ ICR Answer Sheet ના Paper II વિભાગની નીચે આપેલ ખાનાઓમાં આપવાના રહેશે.
- પ. અંદર આપેલ સૂચનાઓ કાળજીપૂર્વક વાંચો. ૬. આ બુકલેટની પાછળ આપેલું પાનું ૨ફ કામ માટે છે.

ખરી રીત : A ખોઢી રીત :

૭. પરીક્ષા સમય પૂરો થઈ ગયા પછી આ બુકલેટ જે તે નીરીક્ષકને સોંપી દેવી. કોઈપણ પેપર પરીક્ષા રૂમની બહાર લઈ જવું નહી.

## LIFE SCIENCE

## PAPER II

Note:—This paper contains fifty (50) multiple-choice questions, each question carrying two (2) marks. Attempt all the questions.

- 1. Identify the component which does not participate in cytoskeletal functions:
  - (A) Actin

(B) Chromatin

(C) Microtubules

(D) Microfilaments

- 2. Centrosome is:
  - (A) A nuclear structure of animal cell
  - (B) Cytoplasmic structure of animal cell
  - (C) Cytoplasmic structure of both plant and animal cell
  - (D) Cytoplasmic structure of plant cell
- 3. Molecules present in/or associated with tight junctions include all the following except:
  - (A) Connexin
  - (B) Occludin and Claudin
  - (C) Zo-1, Zo-2, Zo-3
  - (D) Cytoskeletal linking proteins and actin
- 4. The following are true of S phase, except:
  - (A) Cells will not leave S-phase until DNA has been completely replicated
  - (B) It can be studied through fusion with cells in other stages
  - (C) It represents an opportunity to label a cell with radioactive nucleotides
  - (D) Replication is initiated solely by nuclear events
- 5. B cells can express on their surface:
  - (A) membrane Ig M and Ig D at the same time
  - (B) both types of light chain
  - (C) secretary component
  - (D) Ig G that can bind several different unrelated antigens

Life Sc.—II

3

P.T.O.

6.	Diversity of possible antibodies produced by a cell is increased by each of	
	the following, except:	
	(A) Combination of differentially spliced light and heavy chains	
	(B) Imprecise splicing of gene regions	
	(C) Mixing of paternal and maternal light chains	
	(D) Selection of different V-J-D regions	
7.	Chimeric bcr-abl oncogene results in:	
	(A) Myelogenous leukemia (B) Xeroderma pigmentosa	
	(C) Retinoblastoma (D) Bloom's syndrome	
8.	Name the weakest stabilizing energy bond:	
	(A) Van der Waals forces (B) Hydrophobic interactions	
	(C) Hydrogen bond (D) Ionic interactions	
9. Which statement about pKa is incorrect?		
	(A) pKa is the pH at which concentration of protonated and unprotonated	
£.	form of an amino acid are equal	
(B) pKa is a constant and independent of temperature		
/	(C) buffering capacity with respect to both H <sup>+</sup> and OH <sup>-</sup> is higher at pKa	
	(D) the higher the pKa the less acid the substance	
10.	Which of the following statements is incorrect?	
	(A) 20 different codons represent the genetic code	
	(B) tryptophan and methionine are encoded by just one codon	
	(C) every nucleotide triplet encodes an amino acid	
	(D) the third position in a codon is highly variable	
11.	A competitive inhibitor:	
	(A) resembles substrate (B) increases $K_m$ for substrate	
	(C) acts irreversibly (D) denatures enzyme	
12.	Without cofactor of an enzyme:	
• •	(A) the catalysis is zero	
	(B) the catalysis is decreased	
	(C) the catalysis proceeds via different route	
	(D) the enzyme is denatured	
Life	e Sc.—II	

- 13. Lectins are:
  - (A) only found in plants
  - (B) are able to recognise specific sugar residue
  - (C) are found in animal but not in plant cells
  - (D) are latex producing enzymes
- 14. Structure of glycogen includes:
  - (A) α 1, 4 glycosidic linkage between glucose residues
    - (B) β 1, 4 glycosidic linkage between glucose residues
    - (C)  $\beta$  1, 4 and  $\alpha$  1, 6 glycosidic linkages between glucose residues
    - (D)  $\alpha$  1, 4 and  $\alpha$  1, 6 glycosidic linkages between glucose residues
- 15. Sidenafil citrate, a popular male potency pill works by acting on a pathway involving one of the following:
  - (A) cAMP

(B) Prostaglandins

(C) Nitric oxide

- (D) Testosteron
- 16. Vitamin B<sub>1</sub> (thiamin):
  - (A) increases haemoglobin in RBC
  - (B) plays important role as co-enzyme
  - (C) is useful in regulation of blood sugar
  - (D) deficiency causes scurvy
- 17. Facilitated diffusion:
  - (A) is independent of concentration gradient
  - (B) requires energy in the form of ATP
  - (C) depends upon the size and shape of molecule
  - (D) requires protein as a carrier
- 18. Animal tissues that synthesise hormones are closely associated with, and sometimes resemble, cells of the :
  - (A) Immune system
  - (B) Embryonic mesoderm
  - (C) Circulatory system
  - (D) Nervous system

Life Sc.—II

5

P.T.O.

19.	The main function of nor-epinepl	hrine i	s to increase:
	(A) Blood pressure	(B)	Urine production
	(C) Cellular respiration	(D)	The release of epinephrine
20.	Which of the following vegetarian	meals	will supply all essential aminoacids
	in about the correct proportion f	or syn	thesizing human proteins?
	(A) Spinach and beans	(B)	Corn and rice
	(C) Beans and rice	(D)	Peas and beans
21.	The female equivalent of the gla	ns of	the penis is the:
	(A) Vestibule	(B)	Hymen
	(C) Baculum	(D)	Clitoris
22.	A woman without dimples marrie	s a ma	n who has dimples and is known to
			he chance, that their first child will
	have dimples?	67	
	(A) One in four	(B)	One in two
	(C) Three out of four	(D)	It is uncertain
23.	A test cross-distinguishes between	n :	
	(A) two homozygous forms		
	(B) a homozygous dominant and	l heter	ozygous
	(C) two heterozygous forms		
,	(D) a homozygous recessive and	a het	erozygous
24.	Bacterial insertion elements:		
	(A) Contain flanking direct repe	ats	
	(B) Contain internal inverted re	peats	
	(C) Encode transposes		
	(D) Encode reverse transcriptase		
Life S		6	

25.	Repair of damaged DNA:		
	(A) does not occur spontaneously because of the nature of chemical bonds		
	in DNA		
	(B) does not occur during normal replication of DNA		
	(C) does not require excision and resynthesis of affected regions		
	(D) requires all of the above		
26.	Lethal mutations can be recovered in haploid organisms if they are:		
	(A) Dominant (B) Recessive		
	(C) Conditional (D) None of these		
27.	When DNA from a wild and a mutant strain are reannealed, homologous		
	regions pair normally but, mutant regions bubble; this process, which also		
	can be used to map location of the mutant gene is known as:		
	(A) Denaturation (B) Heteroduplex		
	(C) Hybridoma (D) Restriction endonuclease		
28.	The classical example of genetic disorder resulting due to trinucleotide repeat		
	sequences is:		
•	(A) Huntington's disease (B) Parkinson's disease		
	(C), Leukemia (D) Alzheimer's disease		
29.	In natural selection:		
	(A) The genetic composition of the population changes at random over		
	time		
	(B) New mutations are generated over time		
	(C) All individuals in a population are equally likely to contribute offsprings		
	to the next generation		

Life Sc.—II

7

reproduce at a higher rate than other individuals

(D) Individuals that possess particular heritable characteristics survive and

P.T.O.

30.	The organisms with the longest evolutionary history are:
3U.	(A) Prokaryotes (B) Eukaryotes
	(C) Photosynthesizers (D) Plants and animals
01	Two large populations of a species found in nearby but different environments
31.	are observed to become genetically more similar over a period of time. Which
	evolutionary mechanism is the most likely cause of such trend?
	(A) Gene flow (B) Non-random mating
	(C) Natural slection (D) Genetic drift
32.	The studies of homology hit method suggest the origin of nucleus from :
	(A) Symbiosis of archeo and eubacterium
	(B) Symbiosis of eubacterium and virus
	(C) eubacterium alone
	(D) None of the above
33.	Photorespiration can be easily detected in:
	(A) Wheat (B) Maize
	(C) Peanut (D) Gram
34.	Gibberellic acid cannot:
	(A) Replace low temperature requirement
	(B) Promote bolting in rosettes
	(C) Inhibit flowering in LDP
	(D) Break seed dormancy
35.	Cytochrome sequences are commonly used to study the:
	(A) Phyletic inter-relationship (B) Criminological incidences
	(C) DNA finger printing (D) Genomics
36.	Which of the following can contribute to the formation of a desert?
	(A) winds that pass over warm ocean currents
	(B) rain shadow
	(C) cool, dry air that sinks towards earth at about 30 degrees latitude
	(D) both (B) and (C)
Life	Sc.—II 8

37.	A population that is growing exponentially increases:
	(A) by a constant number each generation
	(B) by the same number of individuals each generation
	(C) by increase in some years and decrease in other years
	(D) none of the above
38.	A directional process of species replacement over a period of time in a community
	is called:
	(A) Global climate change (B) Competition
	(C) Succession (D) Community change
39. In all ecosystems, what type of organisms consume 50 percent or	
	NPP ?
	(A) Herbivores (B) Producers
	(C) Carnivores (D) Decomposers
40. The process by which microbes bring about alteration of pesticides w	
	deriving any carbon and energy is called:
	(A) Co-metabolism (B) Co-catabolism
	(C) Co-oxidation (D) Co-anabolism
41.	BOD of waste water represents a measure of:
	(A) Soluble oxygen
	(B) Biologically oxidizable organic matter
	(C) Total oxidizable carbon
,	(D) (B) and (C)
42.	Which of the following occurs during final treatment of the effluent from a
•	sewage treatment plant?
	(A) Anaerobic digestion (B) Reverse osmosis
	(C) Drying and incineration (D) Chlorination
Life	Sc.—II 9 P.T.O.

43.	Which of the following is not a	level i	n Linnaean hierarchy?
	(A) Class	(B)	Group
	(C) Species	(D)	Phylum
44.	The most powerful tool being st	udied b	y systematists today is:
	(A) Behaviour	(B)	Organs
	(C) Cell	(D)	DNA
45.	The known species of insect nur	nber is	in the:
	(A) Hundreds	(B)	Thousands
	(C) Millions	<b>(D)</b>	Billions
46.	A favourable relationship in wh	ich only	y one organism is benefitted is:
	(A) Symbiosis	(B)	Parasitism
	(C) Commensalism	(D)	Mutualism
47.	Biodiversity can be best defined	by:	
	(A) Species, genome, habitat	(B)	Species, phyla, families
	(C) Species, genera, families	(D)	Species, genome, varieties
48.	Species most vulnerable to extino	tion fro	om human activities are those with:
	(A) low carrying capacities	(B)	high population growth
	(C) large niches	(D)	many natural predators
49.	Efficiency of using water in plan	nts is b	petter in :
	(A) CAM	(B)	$C_3$
	(C) C <sub>4</sub>	(D)	All of these
50.	Maximum growth in plants is o	bserved	during the following phase:
•	(A) log	(B)	lag
	(C) senescence	(D)	plateau
Life S	c.—II	10	

ROUGH WORK

study sixe

**ROUGH WORK** 

